

Fujia Power Supply WeChat Mini Program User Manual

Version: V00

Production/Date: Lan Zhongsheng / 2026.05.19

Review/Date:

Approval/Date:

Catalogue

Fujia Power Supply WeChat Mini Program User Manual.	1
1. Fujia Mini Program – Usage Instructions (Images in this document are for reference only).	3
First Time Use.	3
Recall the mini-program you used.	3
Add "Fujia BMS" to your frequently used mini-programs.	3
Add Desktop Shortcut.	3
II. Login Method (First Time Login).	4
III. Bluetooth Mode.	5
bluetooth connection.	5
IV. Dashboard Interface.	7
V. Cell Data.	7
VI. Parameter Settings.	8
VII. Regarding.	8

I. Fujia Mini Program-User Guide (Images in This Document Are for Reference Only)

First Time Use

Method 1: On the WeChat homepage, click the [Search Box] at the top, enter "Fujia BMS", and select the [Fujia BMS] mini-program.



Method 2: Scan the QR code directly to enter the mini-program



Recall the Mini-Program You Used

Method 1: Pull down the WeChat homepage

WeChat Home → Pull down the screen → Expand the Mini Program Task Bar at the top → Select the [Fujia BMS] Mini Program

Method 2: Find the entry page

WeChat → [Discover] → [Mini Programs] → View [Recently Used] list → Select [Fujia BMS]

Add "Fujia BMS" to Your Frequently Used Mini-Programs

Open the [Fujia BMS] mini-program → Click [• • •] in the top-right corner → Select [Add to My Mini Programs]

Add Desktop Shortcut

Open the [Fujia BMS] mini-program → Click the [• • •] icon in the top-right corner → Select [Add to Desktop]

2. Login Method (First Time Login)

Method 1: Click the WeChat icon to use quick login



Method 2: Log in with your email account and password



Method 3: Log in with a phone number (you must first bind a phone number to log in)




III. Bluetooth Mode

Bluetooth Connection

Open the [Fujia BMS] mini-program and connect using the following methods:

Method 1: Connect the added devices on the home page

Select the device to connect



Auto-connect Device Redirection



Method 2: Search for and connect devices via Bluetooth

1. Click to Add Device



2. Click Bluetooth Search



Click the device to connect

4. Automatically add devices and redirect connections



Method 3: Scan the QR code to connect the device

Click the camera to scan the QR code Scan the QR code on the right side to connect



第一步
First step



扫码打开微信小程序
Scan to open WeChat
Mini Program


第二步
Second step



AA:68:89:8A:C2:C0
用微信小程序扫码连接
Scan the QR code with
WeChat Mini Program to
connect to the device

3. Waiting for the device to recognize automatically

4. Automatically Add Devices and Redirect Connections



IV. Dashboard Interface

Instrument panel data interface: displays SOC, total voltage, total current, average voltage, maximum voltage, minimum voltage, voltage difference, charge/discharge time, charge/discharge status, charge/discharge MOS switch, balancing status, and protection status.



V. Cell Data

Cell Data Interface: Displays total voltage, number of cell strings, voltage per string, maximum voltage per string (in red), and minimum voltage per string (in blue).



VI. Parameter Settings

Function 1: Supports OTA Bluetooth online upgrades.



VII. Regarding

Function 1: Bind personal account information.

Function 2: Set up automatic Bluetooth connection.

Function 3: Switch Language (Currently supports only Chinese and English).

